



## Laser screeds

[Orders](#)

[Hotline](#)

[Chat zalo](#)

[Whatsapp](#)

[Facebook](#)

<b>MODEL</b>	<b>MANIPAV-3000</b>	<b>MANIPAV-2000</b>
Weight	1.300 KG	550 KG
Power	LOMBARDINI (LDW 1003/B1) LIQUID COOLED,27hp,3cyl.EPA	HONDA IGX440 15Hp, Air cooled
Fuel Capacity	15L	7L
Control system	ELECTRIC/HIDRAULIC	ELECTRIC/HYDRAULIC
Driver	3 Hyraulic motor	3 Hyraulic motor
Vibration	VIBRATING BEAM 300cm VIBRATOR ELECTRIC 3000rpm	VIBRATING BEAM 250cm VIBRATOR ELECTRIC 3000rpm
Fuel capacity	95 L	40 L
Hydraulic cylinder laser	48 cm HIGH	30 c.m. HIGH
Distance from the floor	35 c.m.	18 c.m.
<b>Dimention</b>		
Long	340 c.m.	290 c.m.
Width	350 c.m.	250 c.m.
Height	210 c.m.	175 c.m.

Production	500 M2/H Aprox	250 M2/H Aprox
Laser control system	SPECTRA-TRIMBLE	SPECTRA-TRIMBLE
	1 CONTROL BOX	1 CONTROL BOX
	2 RECEIVERS LR-30	2 RECEIVERS LR-30
	KIT CONECTION	KIT CONECTION

## **Related Products**

Currently there are no news items.